

TECHNICAL INFORMATION

FOR PROFESSIONAL USE ONLY

A black rectangular box with a red border containing white text. The text reads "BRAYT R1 REGENERATION" in large, bold, sans-serif font, with "> silicone free <" in a smaller font below it.

**BRAYT
R1
REGENERATION**
> silicone free <

PRODUCT DESCRIPTION

Product intended to restore and refresh plastic surfaces. Suitable also to use on metal (chrome, brass, stainless steel, aluminium) and painted or varnished surfaces. Agent has a strong penetrating ability and thanks to it he restore lost color and luster. After drying creates flexible and resistant finishing coating.

PHYSICAL AND CHEMICAL PROPERTIES

- Base: alkad resin
- Consistence: liquid
- Capacity: 250 ml.
- Specific gravity: approx. 0,875
- Color: amber
- Efficiency: 18 m²/l
(efficiency may vary depending on the type of surface)
- Drying time: 24 h. (depending on the temperature and air humidity)

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl

USAGE

- Surface to be treated should be clean and dry. All layers of waxes and silicone should be removed. Plastic should be cleaned with warm water with soap, rinse thoroughly and wait at least 12 hours to dry completely.
- It's not recommended to use on white lacquers.
- Using the clean cloth or brush apply product evenly on the surface. Recommended application temperature is 5 – 35⁰C. Do not apply on hot surface.
- Leave for 10 – 20 min (it's recommended to work on the surface of which can be completed within max. 20 min).
- Remove product residue with clean cloth..
- Leave until dry and then polish by dry microfiber cloth to obtain better gloss..

STORAGE

Store in a tightly closed container at a temperature 0 – 45⁰C. Do not allow to freeze.

EXPIRY DATE

24 months from production date when stored in original unopened container.

All information are based upon the precise laboratory studies and many years of experience. The good market position does not release us from the constant supervision of our products quality. However we are not responsible for the final effects of the improper storage or application of our products, as well as for work inconsistent with the good craft practice.

TROTON Sp. z o.o.
Ząbrowo, Poland

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl



October 2016

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, **Tel:** +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 **Website:** www.troton.com.pl **Email:** troton@troton.com.pl